

RR – 2355

CORROSION REMOVING AND METAL CONDITIONING COMPOUND (PHOSPHORIC ACID BASE) MIL-C-10578 TYPE IV, NON-FOAMING

Description

RR-2355 is an acidic liquid product containing surfactants and solvents. RR-2355 meets the requirements of MIL-C-10578 D Type IV.

Intended Use

RR-2355 is used as a corrosion removing and metal conditioning compound which, when diluted with water and applied to metal surfaces, will remove rust from ferrous metal surfaces and provide a slight etching action for ferrous and nonferrous metals to promote the adhesion of paint or corrosion preventives.

RR-2355 is a non-foaming compound used as a rust remover for ferrous metal parts and as a metal conditioner for ferrous and nonferrous metal parts prior to application of paint and / or corrosion preventatives.

Since it is non-foaming it is intended for use in pressurized spray systems at temperatures up to 150°F (66°C) after which it is washed off with water.

RR-2355 can alternatively be used on aluminum for preparing aluminum parts for painting.

Do not use on zinc, tin and galvanized surfaces.

Usage

Add 1 of the concentrated material as received to 3 parts of water by volume. Use acid resisting steel, earthenware crocks or other suitable mixing tanks. Remove heavy rust by wire brush and heavy grease with a grease solvent before applying the compound.

After proper dilution, apply by spray, rinse with water, preferably hot; permit to dry thoroughly prior to application of rust preventive or paint.

Safety

RR-2355 contains acidic ingredients. Avoid contact with skin and eyes. In case of contact rinse thoroughly with plenty of water. Wear protective clothes when handling.

Packaging

RR-2355 is available in 55 gallons drums.